


REVISION: H
ECO NO.: 2342
BY: G. REEDER
DATE: 10/6/06

REVISION: H
ECO NO.: 2342
BY: G. REEDER
DATE: 10/6/06

COXREELS

SERIES PC13 CORD REELS



ITEM	PART	DESCRIPTION	QTY
3	140-1	DISK: 13" REEL	1
4	1954	BASE: 13" REEL	1
5	1732-1	ARM: GUIDE, 13"	1
6	1776-3	ASSEMBLY: HUB BEARING, 1"	1
7	1620	BOLT: SHOULDER, 1/2" X 1-1/2"	1
8	640-1-SS	CAM: LOCKING	1
9	274-1-SS	SPRING: LOCK DOG	1
10	437	WASHER: LOCK, 3/8"	1
11	184	NUT: 3/8-16 JAM	1
12	1953	BOLT: 1/4-20 X 1-1/2" CARRIAGE	3
13	125	NUT: 1/4-20 KEPS	3
14	7197	STUD: 10-32 X 3" THREADED	2
15	438	WASHER: 5/8" LOCK	1
16	3584	NUT: 5/8-11	1
18	1956	AXLE: 1"	1
19	312	BOLT: 5/16-18 X 3/4" HEX	3
20	130	NUT: #10-32 KEPS, QTY. = 7 IF 12-GAGE	5
21	111-1	NUT: 5/16-18 NYLOCK (LOW PROF)	4
22	1924	RING: LOCKING	1
23	1755-1	WASHER: SPACER	1

ITEM	PART	DESCRIPTION	QTY
24	1753	RING: (5160-75) RETAINING	1
25	10220-75	BOLT: 5/16-18x3/4" CARRIAGE	4
26	6440-SS	WASHER: SPACER	1
27	6441-1	WASHER: PLASTIC	1
28	1728-2	ASSEMBLY: ROLLER BRACKET	1
30	111	NUT: 5/16-18 LOCK	3
31	7166	PLATE: ELECTRICAL MOUNTING	1
32	7161	PORT: INLET	1
33	7196	NUT: #10-32 ACORN	2
34	7160	SUPPORT: BRUSH CONTACT GUIDE	2
35	7163	NUT: #10-32 X 3/4" COUPLING	2
37	7167-1	BUSHING: OPEN, PLASTIC	1
47	7162	COVER: 13" ELECTRICAL	1
** 48	8284	BLOCK: TERMINAL	1
** 49	10137	NUT: #8-32 KEPS	2
** 50	8286	SPACER: NYLON	2
** 51	8285	SCREW: #8-32 X 1-1/4"	2
52	10925-5	LABEL: PRODUCT, STANDARD	1
53	10934	LABEL: CAUTION, PC REELS	1
54	10935	LABEL: CORD SPECS, PC REEL	1

ITEM NUMBER

MODEL	1	2	17	29	36	38	* 39	40	* 41	42	* 43	* 44	* 45	* 46
	SPRING	DISK	SLIP RING	SCREW (2)	CLAMP (2)	BUSHING 90°	INPUT CABLE	TERMINAL RING	WIRE NUT (5)	STRAIN RELIEF	CABLE (FT)	STOP	CABLE GUARD	ACCESSORY ITEM
PC13-3516-A	1959-5	7191	7155	-	-	7169-2	7198	7175-1	7176-1	7168-1	-	131-1	-	7188-1 RECEPTICAL, SINGLE, MOLDED, 35'
PC13-5016-A	1959-8	7191	7155	-	-	7169-2	7198	7175-1	7176-1	7168-1	-	131-1	-	7188-2 RECEPTICAL, SINGLE, MOLDED, 50'
PC13-3516-C	1959-5	7191	7155	-	-	7169-2	7247	7175-1	7176-1	7168-1	-	131-1	-	7208-1 TUBE LIGHT, FLOURESCENT, 35'
PC13-5016-C	1959-8	7191	7155	-	-	7169-2	7247	7175-1	7176-1	7168-1	-	131-1	-	7208-2 TUBE LIGHT, FLOURESCENT, 50'
PC13-3516-D	1959-5	7191	7155	-	-	7169-2	7198	7175-1	7176-1	7168-1	-	131-1	-	7207-1 ANGLE LIGHT, FLOURESCENT, 35'
PC13-5016-D	1959-8	7191	7155	-	-	7169-2	7198	7175-1	7176-1	7168-1	-	131-1	-	7207-2 ANGLE LIGHT, FLOURESCENT, 50'
PC13-3516-E	1959-5	7191	7155	-	-	7169-2	7198	7175-1	7176-1	7168-1	-	131-1	-	7206-1 CAGED LIGHT, INCANDESCENT, 35'
PC13-5016-E	1959-8	7191	7155	-	-	7169-2	7198	7175-1	7176-1	7168-1	-	131-1	-	7206-2 CAGED LIGHT, INCANDESCENT, 50'
PC13-3516-F	1959-5	7191	7155	-	-	7169-2	7198	7175-1	7176-1	7168-1	7172-16	131-1	-	7205-1 RECEPTICAL, DUPLEX, GFCI, 15 AMP
PC13-5016-F	1959-8	7191	7155	-	-	7169-2	7198	7175-1	7176-1	7168-1	7172-16	131-1	-	7205-1 RECEPTICAL, DUPLEX, GFCI, 15 AMP
PC13-3516-X	1959-5	7191	7155	-	-	7169-2	7198	7175-1	7176-1	7168-1	7172-16	131-1	-	- NONE
PC13-5016-X	1959-8	7191	7155	-	-	7169-2	7198	7175-1	7176-1	7168-1	7172-16	131-1	-	- NONE
PC13L-3516	1959-5	7191	7155	-	-	7169-2	-	7175-1	-	7168-1	-	-	-	- NONE
PC13L-5016	1959-8	7191	7155	-	-	7169-2	-	7175-1	-	7168-1	-	-	-	- NONE
PC13-3516-4	1959-5	7191-1	7156	-	-	7169-3	7173-16	7175-1	7176-1	7168-2	7173-16	131-1	-	- NONE
PC13-5016-4	1959-8	7191-1	7156	-	-	7169-3	7173-16	7175-1	7176-1	7168-2	7173-16	131-1	-	- NONE
PC13-3512-A	1960-1	7192	7155	245	7199	-	7174-2	7175-2	7176-2	7168-2	7172-12	131	237-2	7215-2 RECEPTICAL, SINGLE, 20 AMP
PC13-5012-A	1960	7192	7155	245	7199	-	7174-2	7175-2	7176-2	7168-2	7172-12	131	237-2	7215-2 RECEPTICAL, SINGLE, 20 AMP
PC13-3512-B	1960-1	7192	7155	245	7199	-	7174-2	7175-2 (4)	7176-2	7168-2	7172-12	131	237-2	7203-2 RECEPTICAL, QUAD BOX, 20 AMP
PC13-5012-B	1960	7192	7155	245	7199	-	7174-2	7175-2 (4)	7176-2	7168-2	7172-12	131	237-2	7203-2 RECEPTICAL, QUAD BOX, 20 AMP
PC13-3512-F	1960-1	7192	7155	245	7199	-	7174-2	7175-2 (4)	7176-2	7168-2	7172-12	131	237-2	7205-2 RECEPTICAL, DUPLEX, GFCI, 20 AMP
PC13-5012-F	1960	7192	7155	245	7199	-	7174-2	7175-2 (4)	7176-2	7168-2	7172-12	131	237-2	7205-2 RECEPTICAL, DUPLEX, GFCI, 20 AMP
PC13-3512-X	1960-1	7192	7155	245	7199	-	7174-2	7175-2	7176-2	7168-2	7172-12	131	237-2	- NONE
PC13-5012-X	1960	7192	7155	245	7199	-	7174-2	7175-2	7176-2	7168-2	7172-12	131	237-2	- NONE
PC13L-3512	1960-1	7192	7155	245	7199	-	-	7175-2	-	7168-2	-	-	237-2	- NONE
PC13L-5012	1960	7192	7155	245	7199	-	-	7175-2	-	7168-2	-	-	237-2	- NONE
PC13-3512-4	1960-1	7192	7156	245	7199	-	7173-12	7175-2	7176-2	7168-3	7173-12	131	237-2	- NONE
PC13-5012-4	1960	7192	7156	245	7199	-	7173-12	7175-2	7176-2	7168-3	7173-12	131	237-2	- NONE

ACCESSORIES

A - SINGLE IND. RECEPTICAL B - QUAD BOX IND. RECEPTICAL C - FLOURESCENT TUBE LIGHT D - FLOURESCENT ANGLE LIGHT E - CAGED INCANDESCENT LIGHT F - DUPLEX RECEPTICAL, GFCI X - NONE
4 - FOUR WIRE CABLE READY

* ON "LESS CABLE" MODELS (PC13L-) **EXCLUDE** ITEMS #39, #41, #43, #44, #45 AND #46

** ON "LESS CABLE" MODELS (PC13L-) **INCLUDE** ITEMS #48, #49, #50, AND #51

REEL ASSEMBLY REPORTSR100 (LATCHOUT REMOVAL), R101 (LOCKING RING PLACEMENT), R112 (TIGHTENING AND TOPERATING INST #028 (CORD INSTALLATION PROCEDURE)

REVISION: H

ECO: 2342


DATE: 10/6/2006

NAME: G. REEDER

EXP-91

REVISION: B
ECO NO.: 1927-2
DRAWN BY: J. KNOSALLA
DATE: 7/22/03

COXREELS
PC17 SERIES CORD REELS




COMMON PARTS TO ALL PC17-SERIES ELECTRIC CORD REELS

ASSY. ITEM NO.	DETAIL ITEM NO.	PART NO.	DESCRIPTION	PC17-3510-X	PC17-5010-X	PC17L-5010	PC17-3510-4	PC17-5010-4	PC17L-5010-4				
	1	1961-5	SPRING CAN	1			1						
		2037-5	SPRING CAN		1	1		1	1				
	2	7193	DISC, 17" REEL, W/SLOT	1	1	1	1	1	1				
	3	1947	DISC, 17" REEL	1	1	1	1	1	1				
	4	1970	BASE, 17" REEL	1	1	1	1	1	1				
	5	1732-2	ARM GUIDE, 17"	1	1	1	1	1	1				
	6	1776-3	ASSY, HUB BEARING, 1"	1	1	1	1	1	1				
	7	1620	BOLT, SHOULDER, ½"x1½"	1	1	1	1	1	1				
	8	640-1-SS	CAM, LOCKING	1	1	1	1	1	1				
	9	274-1-SS	SPRING, DOG	1	1	1	1	1	1				
	10	437	WASHER, LOCK, 3/8"	1	1	1	1	1	1				
	11	184	NUT, JAM. 3/8-16	1	1	1	1	1	1				
	12	1953	BOLT, CARRIAGE, ¼-20 x 1½"	3	3	3	3	3	3				
	13	125	NUT, KEPS, ¼-20	3	3	3	3	3	3				
	14	7197	STUD, THREADED, 10-32 x 3"	2	2	2	2	2	2				
	15	438	WASHER, LOCK, 5/8"	1	1	1	1	1	1				
	16	3584	NUT, 5/8-11	1	1	1	1	1	1				
	17	7157	ASSY., SLIP RING, 35A	1	1	1	1	1	1				
	18	7159	AXLE, 1"	1	1	1	1	1	1				
	19	312	BOLT, 5/16-18	3	3	3	3	3	3				
	20	130	NUT, KEPS, 10-32	5	5	5	5	5	5				
	21	111-1	NUT, LOCK, 5/16-18, LOW PROF	8	8	8	8	8	8				
	22	1924	RING, LOCKING	1	1	1	1	1	1				
	24	206	RING, RETAINING, (5100-100)	1	1	1	1	1	1				
	25	10220-75	BOLT, CARRIAGE, 5/16-18 x ¾"	4	4	4	4	4	4				
	26	6440-SS	WASHER, SPACER	1	1	1	1	1	1				
	27	6441-1	WASHER, PLASTIC	1	1	1	1	1	1				
	28	1728-3	BRACKET, ROLLER, 17"	1	1	1	1	1	1				
	29	115	CLAMP, CABLE	2	2	2	2	2	2				
	30	7180	COVER, 17", 10GA	1	1	1	1	1	1				
	31	7190	ELECTRICAL MOUNTING PLATE	1	1	1	1	1	1				
	32A	7184	INLET, PORT, 1/2-14 NPT	1	1	1							
	32B	7184-1	INLET, PORT, 3/4-14 NPT				1	1	1				
	33	7196	NUT, ACORN, 10-32	2	2	2	2	2	2				
	34	7189	BRACKET, SLIP RING	1	1	1	1	1	1				
	35	7163	NUT, COUPLING, 10-32 x ¾"	2	2	2	2	2	2				
	36	245	SCREW, TRUSS HEAD, 10-32x3/8"	2	2	2	2	2	2				
	37	7167-1	BUSHING, OPEN, PLASTIC	1	1	1							
	38	175	BOLT, HEX, 5/16-18 x ½"	4	4	4	4	4	4				
	39A	7172-10	CABLE, 3 WIRE, 10GA	5FT	5FT								
	39B	7173-10	CABLE, 4 WIRE, 10GA				5FT	5FT					
	40	7185	ASSY., WIRE, JUMPER, 10GA	1	1	1	1	1	1				
	41	7176-3	NUT, WIRE, RED	3	3		4	4					
	42A	7168-3	STRAIN RELIEF, INPUT, 10GA	1	1	1							
	42B	7168-4	STRAIN RELIEF, INPUT, 10GA				1	1	1				
	43A	7172-10	CABLE, 3 WIRE, 10GA, SO	36FT.	51FT.								
	43B	7173-10	CABLE, 4 WIRE, 10GA, SO				36FT.	51FT.					
	44	131-3	ASSY., STOP,	1	1		1	1					
	45	237-1	GUARD, CABLE, SPRING	1	1		1	1					
	46	7170	BRACKET, INLET PORT	1	1	1	1	1	1				
	47	7175-2	TERMINAL, RING, 12-10GA / #10	3	3		4	4					
	48	8284	TERMINAL BLOCK			1			1				
	49	8286	SPACER, NYLON			2			2				
	50	8285	SCREW, 8-32 X 1-1/4" LG			2			2				
	51	10137	NUT, KEPS, 8-32			2			2				
	52	111	NUT, LOCK, 5/16-18	3	3	3	3	3	3				

EXP-93

REVISION: B
ECO NO.: 2346
BY: G. REEDER
DATE: 10/13/06

COXREELS SERIES PC19 - 20 AMP



ITEM	PART	DESCRIPTION	QTY
3	1702	DISK: 19" REEL	1
4	1743-2	BASE: 19" REEL	1
5	1732	ARM: GUIDE, 19"	1
6	1776-3	ASSEMBLY: HUB BEARING, 1"	1
7	1620	BOLT: 1/2" x 1-1/2" SHOULDER	1
8	640-1-SS	DOG: LOCKING	1
9	274-1-SS	SPRING: LOCK DOG	1
10	437	WASHER: 3/8" LOCK	1
11	184	NUT: 3/8-16 JAM	1
12	1953	BOLT: 1/4-20 x 1-1/2" CARRIAGE	3
13	125	NUT: 1/4-20 KEPS	7
14	8318	STUD: 1/4-20 x 3"	2
15	438	WASHER: 5/8" LOCK	1
16	3584	NUT: 5/8-11 HEX	1
18	1793	AXLE: 1"	1
19	312	BOLT: 5/16-18 X 3/4" HEX	3
20	130	NUT: #10-32 KEPS, QTY. = 5 IF 12-GAGE	3
21	111-1	NUT: 5/16-18 NYLOCK (LOW PROFILE)	4
22	1924	RING: LOCKING	1
23	1755-1	WASHER: SPACER	1

ITEM	PART	DESCRIPTION	QTY
24	1753	RING: RETAINING (5160-75)	1
25	10220-75	BOLT: CARRIAGE, 5/16-18 x 3/4" CARRIAGE	4
26	6440-SS	WASHER: SPACER	1
27	6441-1	WASHER: PLASTIC	1
28	1728-1	ASSEMBLY: ROLLER BRACKET	1
30	111	NUT: 5/16-18 NYLOCK	3
31	7166-3	PLATE: ELECTRICAL MOUNTING	1
32	7161	PORT: INLET, 1"	1
33	8308	NUT: 1/4-20 ACORN	2
34	7160	SUPPORT: BRUSH CONTACT GUIDE	2
35	7879	NUT: 1/4-20 x 7/8" COUPLING	2
37	7167-1	BUSHING: OPEN, PLASTIC	1
47	8303	COVER: 19" PC REEL	1
** 48	8284	BLOCK: TERMINAL	1
** 49	10137	NUT: #8-32 KEPS	2
** 50	8286	SPACER: NYLON	2
** 51	8285	SCREW: #8-32 x 1-1/4"	2
52	10925-5	LABEL: PRODUCT, STANDARD	1
53	10934	LABEL: CAUTION, PC REELS	1
54	10935	LABEL: CORD SPECS, PC REELS	1

ITEM NUMBER																
MODEL	1	2	17	29	36	38	* 39	40	* 41	42	* 43	* 44	* 45	* 46		
	SPRING	DISC	SLIP RING	SCREW (2)	CLAMP (2)	BUSHING 90°	INPUT CABLE	TERMINAL RING	WIRE NUT (5)	STRAIN RELIEF	CABLE (FT)	STOP	CABLE GUARD	ACCESSORY ITEM		
PC19-7516-A	8328-1	1703-2	7155	-	-	7169-2	7198	7175-1	7176-1	7168-1	-	131-1	-	7188-3	RECEPTICAL, SINGLE, MOLDED, 75'	
PC19-7516-E	8328-1	1703-2	7155	-	-	7169-2	7198	7175-1	7176-1	7168-1	-	131-1	-	7206-3	CAGED LIGHT, INCANDESCENT, 75'	
PC19-7516-F	8328-1	1703-2	7155	-	-	7169-2	7198	7175-1	7176-1	7168-1	7172-16	131-1	-	7205-1	RECEPTICAL, DUPLEX, GFCI, 15 AMP	
PC19-7516-X	8328-1	1703-2	7155	-	-	7169-2	7198	7175-1	7176-1	7168-1	7172-16	131-1	-	-	NONE	
PC19L-7516	8328-1	1703-2	7155	-	-	7169-2	-	7175-1	-	7168-1	-	-	-	-	NONE	
PC19-7516-4	8328-1	1703-4	7156	-	-	7169-3	7173-16	7175-1	7176-1	7168-2	7173-16	131-1	-	-	NONE	
PC19-7512-A	8329-1	1703-3	7155	245	7199	-	7174-2	7175-2	7176-2	7168-2	7172-12	131	237-2	7215-2	RECEPTICAL, SINGLE, 20 AMP	
PC19-7512-B	8329-1	1703-3	7155	245	7199	-	7174-2	7175-2 (4)	7176-2	7168-2	7172-12	131	237-2	7203-2	RECEPTICAL, QUAD BOX, 20 AMP	
PC19-7512-F	8329-1	1703-3	7155	245	7199	-	7174-2	7175-2 (4)	7176-2	7168-2	7172-12	131	237-2	7205-2	RECEPTICAL, DUPLEX, GFCI, 20 AMP	
PC19-7512-X	8329-1	1703-3	7155	245	7199	-	7174-2	7175-2	7176-2	7168-2	7172-12	131	237-2	-	NONE	
PC19L-7512	8329-1	1703-3	7155	245	7199	-	-	7175-2	-	7168-2	-	-	-	-	NONE	
PC19-7512-4	8329-1	1703-3	7156	245	7199	-	7173-12	7175-2	7176-2	7168-3	7173-12	131	237-2	-	NONE	

ACCESSORIES

A - SINGLE IND. RECEPTICAL B - QUAD BOX IND. RECEPTICAL C - FLUORESCENT TUBE LIGHT D - FLUORESCENT ANGLE LIGHT E - CAGED INCANDESCENT LIGHT F - DUPLEX RECEPTICAL, GFCI X - NONE 4 - FOUR WIRE CABLE

* ON "LESS CABLE" MODELS (PC19L-) **EXCLUDE** ITEMS #39, #41, #43, #44, #45 AND #46

** ON "LESS CABLE" MODELS (PC19L-) **INCLUDE** ITEMS #48, #49, #50, AND #51

REEL ASSEMBLY REPORTSR100 (LATCHOUT REMOVAL), R101 (LOCKING RING PLACEMENT), R112 (TIGHTENING AND TORQUING)

OPERATING INST #028 (CORD INSTALLATION PROCEDURE)

REVISION: B

ECO: 2346


DATE: 10/13/2006

NAME: G. REEDER

EXP-94

REVISION: B
ECO NO.: 2344
BY: G. REEDER
DATE: 10/11/06

COXREELS SERIES PC24 - 20 AMP



ITEM	PART	DESCRIPTION	QTY
3	1704	DISK: 24" REEL	1
4	1744-2	BASE: 24" REEL	1
5	1733	ARM: GUIDE, 24"	1
6	1776-3	ASSEMBLY: HUB BEARING, 1"	1
7	1620	BOLT: 1/2" x 1-1/2", SHOULDER	1
8	640-1-SS	DOG: LOCKING	1
9	274-1-SS	SPRING: LOCK DOG	1
10	437	WASHER: 3/8" LOCK	1
11	184	NUT: 3/8-16 JAM	1
12	1953	BOLT: 1/4-20 x 1-1/2" CARRIAGE	3
13	125	NUT: 1/4-20 KEPS	7
14	8318	STUD: 1/4-20 x 3"	2
15	438	WASHER: 5/8" LOCK	1
16	3584	NUT: 5/8-11 HEX	1
18	1793	AXLE: 1"	1
19	312	BOLT: 5/16-18 X 3/4" HEX	3
20	130	NUT: #10-32 KEPS, QTY. = 5 IF 12-GAGE	3
21	111-1	NUT: 5/16-18 NYLOCK (LOW PROFILE)	4
22	1924	RING: LOCKING	1
23	1755-1	WASHER: SPACER	1

ITEM	PART	DESCRIPTION	QTY
24	1753	RING: RETAINING (5160-75)	1
25	10220-75	BOLT: 5/16-18 x 3/4" CARRIAGE	4
26	6440-SS	WASHER: SPACER	1
27	6441-1	WASHER: PLASTIC	1
28	1728-1	ASSEMBLY: ROLLER BRACKET	1
30	111	NUT: 5/16-18 NYLOCK HEX	3
31	7166-2	PLATE: ELECTRICAL MOUNTING	1
32	7161	PORT: 1" INLET	1
33	8308	NUT: 1/4-20 ACORN	2
34	7160	SUPPORT: BRUSH CONTACT GUIDE	2
35	7879	NUT: 1/4-20 x 7/8" COUPLING	2
37	7167-1	BUSHING: OPEN, PLASTIC	1
47	8306	COVER: 24" PC REEL	1
** 48	8284	BLOCK: TERMINAL	1
** 49	10137	NUT: #8-32 KEPS	2
** 50	8286	SPACER: NYLON	2
** 51	8285	SCREW: #8-32 x 1-1/4"	2
52	10925-5	LABEL: PRODUCT, STANDARD	1
53	10935	LABEL: CORD SPECS., PC REELS	1
54	10934	LABEL: CAUTION, PC REELS	1

ITEM NUMBER

MODEL	1	2	17	29	36	38	* 39	40	* 41	42	* 43	* 44	* 45	* 46
	SPRING	DISK	SLIP RING	SCREW (2)	CLAMP (2)	BUSHING 90°	INPUT CBL	TERM RING	WIRE NUT (5)	STR RELIEF	CABLE (FT)	STOP	CABLE GRD	ACCESSORY ITEM
PC24-0016-A	8330-2	1705-3	7155	-	-	7169-2	7198	7175-1	7176-1	7168-1	-	131-1	-	7188-4 RECEPTICAL, SINGLE, MOLDED, 100'
PC24-0016-C	8330-2	1705-3	7155	-	-	7169-2	7247	7175-1	7176-1	7168-1	-	131-1	-	7208-4 TUBE LIGHT, FLUORESCENT, 100'
PC24-0016-D	8330-2	1705-3	7155	-	-	7169-2	7198	7175-1	7176-1	7168-1	-	131-1	-	7207-4 ANGLE LIGHT, FLUORESCENT, 100'
PC24-0016-E	8330-2	1705-3	7155	-	-	7169-2	7198	7175-1	7176-1	7168-1	-	131-1	-	7206-4 CAGED LIGHT, INCANDESCENT, 100'
PC24-0016-F	8330-2	1705-3	7155	-	-	7169-2	7198	7175-1	7176-1	7168-1	7172-16	131-1	-	7205-1 RECEPTICAL, DUPLEX, GFCI, 15 AMP
PC24-0016-X	8330-2	1705-3	7155	-	-	7169-2	7198	7175-1	7176-1	7168-1	7172-16	131-1	-	NONE
PC24-0016-4	8330-2	1705-4	7156	-	-	7169-3	7173-16	7175-1	7176-1	7168-2	7173-16	131-1	-	NONE
PC24-0012-A	8330-1	1705-2	7155	245	7199	-	7174-2	7175-2	7176-2	7168-2	7172-12	131	237-2	7215-2 RECEPTICAL, SINGLE, 20 AMP
PC24-0012-B	8330-1	1705-2	7155	245	7199	-	7174-2	7175-2 (4)	7176-2	7168-2	7172-12	131	237-2	7203-2 RECEPTICAL, QUAD BOX, 20 AMP
PC24-0012-F	8330-1	1705-2	7155	245	7199	-	7174-2	7175-2 (4)	7176-2	7168-2	7172-12	131	237-2	7205-2 RECEPTICAL, DUPLEX, GFCI, 20 AMP
PC24-0012-X	8330-1	1705-2	7155	245	7199	-	7174-2	7175-2	7176-2	7168-2	7172-12	131	237-2	NONE
PC24-0012-4	8330-1	1705-2	7156	245	7199	-	7173-12	7175-2	7176-2	7168-3	7173-12	131	237-2	NONE

ACCESSORIES

A - SINGLE IND. RECEPTICAL B - QUAD BOX IND. RECEPTICAL C - FLUORESCENT TUBE LIGHT D - FLUORESCENT ANGLE LIGHT E - CAGED INCANDESCENT LIGHT

F - DUPLEX RECEPTICAL, GFCI X - NONE 4 - FOUR WIRE CABLE READY

* ON "LESS CABLE" MODELS (PC24L-) **EXCLUDE** ITEMS #39, #41, #43, #44, #45 AND #46

** ON "LESS CABLE" MODELS (PC24L-) **INCLUDE** ITEMS #48, #49, #50, AND #51

REEL ASSEMBLY REPORTS: R100 (LATCHOUT REMOVAL), R101 (LOCKING RING PLACEMENT), R112 (TIGHTENING AND TORQUING)

OPERATING INST #028 (CORD INSTALLATION PROCEDURE)

REVISION: B

ECO: 2344

DATE: 10/11/2006

NAME: G. REEDER