ROOFTOP PLATFORMS



Easily create safe access over pipes and other rooftop obstacles. Special support feet distribute weight to prevent damage to roof membrances.

A rooftop platform allows you to easily create safe access over pipes and other rooftop obstacles. Special support feet distribute weight to prevent damage to roof membranes. You can select the parts needed to create your own specially configured U-Design rooftop platform by following the steps below. 1. Select an incline Forward descent Largest footprint 2. Select a stair height 3. Select a bridge span 4. Select a configuration Vertical descent **Smallest footprint** USING TURN PLATFORMS



ROOFTOP PLATFORMS





LADDLIK							
Tri-Arc Model #	# of Steps	Top Step Height	Vertical Clearance	Step Width	Step Depth	Overall Height	Overall Width
	50° Incline						
URTL502	2	20"	17.5"	36"	9.5"	62"	46.25"
URTL503	3	30"	27.5"	36"	9.5"	72"	52.75"
URTL504	4	40"	37.5"	36"	9.5"	82"	52.75"
URTL505	5	50"	47.5"	36"	9.5"	92"	52.75"
URTL506	6	60"	57.5"	36"	9.5"	102"	52.75"
90° Incline							
URTL902	_	20"	17.5"	24"	1.625"	62"	52.25"
URTL903	-	30"	27.5"	24"	1.625"	72"	52.25"
URTL904	-	40"	37.5"	24"	1.625"	82"	52.25"
URTL905	-	50"	47.5"	24"	1.625"	92"	52.25"
URTL906	-	60"	57.5"	24"	1.625"	102"	52.25"

LADDER

Features:

- Aluminum, 1"x2" rectangular tube construction
- Clearance height is 2.5" less than platform height
- 500 lb. rated capacity
- 36" wide steps and bridge spans
- Grip Strut tread surface
- Non-Penetrating Caddy feet distributes weight evently to protect roof surface
- 42" guardrail height
- 40" long bridge span that can be combined to create up to 120" uninhibited clearance length



UKIS	<u></u>
N.L	

Walkway Tri-Arc Span Model # Width Length URTSB36 40" 38"

Combine up to a total of 120" uninhibited span clearance length. Longer spans require Support Legs.



0
/

TURN PLATFORM							
Tri-Arc	For Step	Platform	Vertical	Platform	Overall	Overall	Platform
Model #	Sizes	Height	Clearance	Width	Height	Width	Length
URTTP20	2	20"	17.5"	36"	62"	52.75"	40"
URTTP30	3	30"	27.5"	36"	72"	52.75"	40"
URTTP40	4	40"	37.5"	36"	82"	52.75"	40"
URTTP50	5	50"	47.5"	36"	92"	52.75"	40"
URTTP50	5	50"	47.5"	36"	92"	52.75"	40′
URTTP60	6	60"	57.5"	36"	102"	52.75"	40′

BRIDGE SPAN

Overall

Width

42"





Kit includes guardrail, mid-rail, toeboard and hardware to close any walkway opening. Must be paired with a Leg Kit.




U	R	SL	4	0	

L40	Tri-Arc Model #	For Step Sizes
	URSL20	2
1	URSL30	3
1	URSL40	4
-	URSL50	5
	URSL60	6

Tri-Arc Model #

URTRK1

Use a Leg Kit when overall bridge length must be greater than 120". Pick based on number of steps and place between Bridge Spans so that no span exceeds 90" between Ladders, Turn Platforms, or Leg Kits.



ADJUSTABLE-HEIGHT WALKING PLATFORM

LEG KIT

Tri-Arc Model #

URTOS3636

36" x 36" serrated platform with adjustable height from 11" to 14". Platform is 3" thick aluminum construction, with a capacity of 500 lbs.

Platforms may be combined together to create a larger walking surface, but CANNOT be joined to the crossover components above.

