



A Safe Fleet Brand

CON-8005

Conduit Carrier – 10'

Dimensional Specifications on Pages 2-4

Configuration as shown:

US Gen1, US Gen4, AluRack


Finish: White Powder Coat

Consolidated Hardware Kit: CON-8505

Conduit Splice Assembly: ACC-8103

Accessory Weight (empty): 37 lbs

**CONSOLIDATED MOUNTING BRACKET KIT INCLUDED*



**Note: Includes Consolidated Mounting Bracket Kit to install onto Gen1, Gen4, and AluRack models*

CON-8005

Conduit Carrier-10'

Shown mounted onto Gen 4 (Ford Transit Van)
Rack for illustrative purposes only


Approximate dimensions as shown:

A: Conduit Carrier Inside Width/Height	5"
B: Conduit Carrier Outside Width	5.25"
C: Conduit Carrier Total Width	8"
D: Conduit Carrier Total Length.....	134.75"
E: Conduit Carrier Usable Length	128"
F: Front Conduit Splice Usable Length	64"
G: Rear Conduit Splice Usable Length	64"
H: Conduit Carrier Height	5"
I: Mounting Bracket Maximum Width	8"
J: Minimum Required Space.....	9"

*Note: Includes Consolidated Mounting Bracket Kit to
install onto Gen1, Gen4, and AluRack models



If installing this Conduit Carrier Assembly
onto a Rotation-Rotation rack configuration,
a minimum of 9.00" spacing between the
ends of the Rotation Uppers is required.



*CONSOLIDATED MOUNTING BRACKET KIT INCLUDED

CON-8005

Conduit Carrier-10'

Shown mounted onto Gen1 (GM Van) Rack for illustrative purposes only


Approximate dimensions as shown:

A: Conduit Carrier Inside Width/Height	5"
B: Conduit Carrier Outside Width	5.25"
C: Conduit Carrier Total Width	8"
D: Conduit Carrier Total Length	134.75"
E: Conduit Carrier Usable Length	128"
F: Front Conduit Splice Usable Length	64"
G: Rear Conduit Splice Usable Length	64"
H: Conduit Carrier Height	5"
I: Mounting Bracket Maximum Width	8"
J: Minimum Required Space	9"

Note: Includes Consolidated Mounting Bracket Kit to install onto Gen1, Gen4, and AluRack models



If installing this Conduit Carrier Assembly onto a Rotation-Rotation rack configuration, a minimum of 9.00" spacing between the ends of the Rotation Uppers is required.



*CONSOLIDATED MOUNTING BRACKET KIT INCLUDED

CON-8005

Conduit Carrier-10'

Shown mounted onto AluRack for illustrative purposes only

Approximate dimensions as shown:

A: Conduit Carrier Inside Width/Height	5"
B: Conduit Carrier Outside Width	5.25"
C: Conduit Carrier Total Width	8"
D: Conduit Carrier Total Length.....	134.75"
E: Conduit Carrier Usable Length	128"
F: Front Conduit Splice Usable Length	64"
G: Rear Conduit Splice Usable Length	64"
H: Conduit Carrier Height	5"
I: Mounting Bracket Maximum Width	8"
J: Minimum Required Space.....	N/A



If installing this Conduit Carrier Assembly onto a Rotation-Rotation rack configuration, a minimum of 9.00" spacing between the ends of the Rotation Uppers is required.








Fig. 1



Allow no contact



*Note: Includes Consolidated Mounting Bracket Kit to install onto Gen1, Gen4, and AluRack models

Assembly Manual also available:

CON-8005

USOV-CON8005-US01 Rev-B 0917

*CONSOLIDATED MOUNTING BRACKET KIT INCLUDED