

## PRIME DESIGN

A Safe Fleet Brand



## SRM SERIES

OTC Side Rail Pairs, 72"-84"

Page 2–3 Packaging Contents and Configurations


Page 4 Side Rail Assembly


CONTENT OVERVIEWS				
NOTE: Side Rail pairs are packaged w See Page 3-4 for Service Body Config			mbly.	
SRM-0084-84" Side Rail Module —				
				0 0
				Side Rail (2X)
				Side Rail Channel Splice (1X)
Anti-Seize (1X)	M8 Lock Nut (4X)	5/16" Flat Washer (8X)		M8 x 45MM (4X)
SRM-0072-72" Side Rail Module —				0 0
				Side Rail (2X)
				Side Rail Channel Splice (1X)
Anti-Seize (1X)	M8 Lock Nut (4X)	5/16" Flat Washer (8X)		M8 x 45MM (4X)


## **SERVICE BODY CONFIGURATIONS**


SERVICE BODY SIZE	REAR CHANNEL MODULE	FRONT CHANNEL MODULE
8'-9' Body, Standard Cab	SRM-0072	SRM-0072
8'-9' Body, Crew Cab	SRM-0084	SRM-0072
8'-9' Body, Extended Cab	SRM-0084	SRM-0072
11' Body, Standard Cab	SRM-0084	SRM-0084
11' Body, Crew Cab	SRM-0084	SRM-0084
11' Body, Extended Cab	SRM-0084	SRM-0084


Side Rail Dimensions (R/F) -













To install Crossbars, refer to your respective OCM Crossbar Module Assembly Manual included with your chosen rack configuration features.

**INSTALLER NOTE:** To purchase applicable features and accessories, please contact your authorized distributor, or a Prime Design Sales & Service Representative.

USAM-SRMSERIES-US01 Rev-A 0120