



IAA/IA PROFESSIONAL STEP LADDERS

ENHANCED SAFETY FEATURES

IMPROVED LOCKTOP™ DESIGN

For safety, efficiency and productivity

HIGH VISIBILITY YELLOW

Tops and feet improve visibility and signal safety across the jobsite

INTRODUCING INTERACTIVE ICON SAFETY LABELS

Quick-reference safety labels for multi-lingual understanding, improved compliance and interactive videos

STANDARDIZED DUTY RATING RAIL COLORS

375lb LOAD CAPACITY

TYPE IAA
DUTY RATING

300lb LOAD CAPACITY

TYPE IA
DUTY RATING

Combined Weight of User and Materials



*Improved LOCKTOP™ design applies to the 6200 & 6300 Series Step Ladders

PATENTED LOCKTOP™ DESIGNED TO INCREASE YOUR PRODUCTIVITY



LOCK-IN™ accessory system secures tools and expands ladder top



Three position anchor points prevent tools from accidentally falling while working at height



Metal plate holds magnetic accessories like flashlights & laser levels

TYPE IA/IAA PROFESSIONAL STEP LADDERS

INTERACTIVE SAFETY LABELS

- Easy-to-understand icons on safety labels provide quick-reference for multi-lingual crews.
- Scannable code offers destination for detailed safety instructions with do's and don'ts videos in three languages.



EASILY IDENTIFY LADDER TYPE

- Larger color-coded duty rating labels on the rail and molded on the ladder top make it easy to quickly identify load capacity.
- Standardized rail colors represent duty rating:
 - Type IA Fiberglass Step Ladders have orange rails.
 - Type IAA Fiberglass Step Ladders have yellow rails.
- Yellow ladder tops and feet improve visibility and signal safety across the jobsite.
- Bold colors and graphics simplify compliance.

WHAT'S THE DIFFERENCE?



6300 SERIES



6200 SERIES



6100 SERIES

DUTY RATING	Type IAA, 375 lbs	Type IA, 300 lbs	Type IA, 300 lbs
RAIL COLOR	Yellow	Orange	Orange
LADDER TOP	High visibility yellow, LOCKTOP™ enhanced functionality	High visibility yellow, LOCKTOP™ enhanced functionality	High visibility yellow
LADDER FEET	High visibility yellow with EDGE360™ Bracing	High visibility yellow with EDGE360™ Bracing	High visibility yellow molded foot with metal bracing
SAFETY LABELS	Quick-reference with QR code	Quick-reference with QR code	Quick-reference with QR code

LADDER LOCKTOP™ DESIGNED WITH PROS IN MIND



6300/6200 FEATURES

- Exclusive Werner LOCKTOP™ is compatible with Werner LOCK-IN™ accessories
- Securely holds tools pros use the most
- Three anchor points tether expensive power tools
- Metal plate for magnetic accessories like flashlights and laser levels



EXPERIENCE THE LOCKTOP™



- 01 Anchor Points (3)
- 02 Paint Tray Inserts
- 03 Paint Can Holder
- 04 Parts Bin
- 05 Screwdriver Slots
- 06 Impact Driver Slot
- 07 Paint Can Hook
- 08 Werner LOCK-IN™ Accessory
- 09 Tool Belt Clip Slots (2)
(Hang variety of tools with power tool belt clip)
- 10 Metal Mounting Plate
(Secures magnetic accessories)
- 11 Small Tool Holder
(Holds multi-purpose screwdriver or wrench)
- 12 Molded Duty Rating



EXPAND YOUR LADDER TOP WITH LOCK-IN™ ACCESSORIES

Ask your Sales Representative for details and availability.



PAINT CUP LINER
Model AC27-L



PAINT CUP
Model AC27-P



JOB BUCKET
Model AC50-JB-3



UTILITY BUCKET
Model AC52-UB




JOB CADDY
Model AC54-JC



TOOL LASSO
Model AC58-TL

*All LOCK-IN™ Accessories sold separately.



SPECIFICATIONS

Model No.	Size	Approx. Width	Approx. Spread	Avg. Reach Height <small>*Assumes a 5' 7" person with vertical 12" reach</small>	Approx. Shipping Weight (lbs)
6100 SERIES FIBERGLASS STEP LADDER				300LB LOAD CAPACITY, TYPE IA	
6104	4'	19"	28-7/8"	8'5"	15.0
6106	6'	22"	41-1/8"	10'4"	21.0
6108	8'	25"	53-1/2"	12'3"	30.0
6110	10'	28"	65-3/4"	14'2"	35.5
6112	12'	31"	78-1/8"	16'1"	44.0
6200 SERIES FIBERGLASS STEP LADDER				300LB LOAD CAPACITY, TYPE IA	
6203	3'	18-1/8"	23-1/8"	7'0"	13.0
6204	4'	19-7/8"	29"	8'5"	16.0
6205	5'	21-5/8"	35-1/8"	9'5"	19.0
6206	6'	23-3/8"	41-1/4"	10'4"	22.0
6207	7'	25-1/8"	47-1/2"	11'4"	26.0
6208	8'	26-7/8"	53-5/8"	12'3"	30.0
6210	10'	30-3/8"	65-7/8"	14'2"	39.0
6212	12'	33-7/8"	78-1/4"	16'1"	48.0
6300 SERIES FIBERGLASS STEP LADDER				375LB LOAD CAPACITY, TYPE IAA	
6304	4'	19-7/8"	29"	8'5"	16.0
6305	5'	21-5/8"	35-1/8"	9'5"	19.0
6306	6'	23-3/8"	41-1/4"	10'4"	22.0
6308	8'	26-7/8"	53-5/8"	12'3"	30.0
6310	10'	30-3/8"	65-7/8"	14'2"	39.0
6312	12'	33-7/8"	78-1/4"	16'1"	49.0

FEATURES

- High-visibility ladder top signals safety
- High-visibility feet to prevent kicks and trips
- Updated labels with enhanced print and digital icons
- Fiberglass rail colors signify duty ratings: Yellow = IAA and Orange = IA
- EDGE360™ features integrated rail shields, energy diffusing geometry, and oversized foot pads
- Every rivet backed up by metal plate or washer to protect rails



Non-conductive side rails for working near electricity

COMPATIBLE WITH

