




FALL PROTECTION MEWP KITS



ALL-IN-ONE SOLUTION FOR MEWP KITS

(MOBILE ELEVATED WORK PLATFORMS)
LEADING EDGE PROTECTION

- Kits include a harness, self-retracting lifeline (SRL) and packaged in a convenient tool bag
- SRL meets ANSI z359.14-2021
- SRL is tested and approved for use in leading edge applications including steel mean, precast concrete, and b-deck
- Harnesses include Chair In The Air™ post-fall adjustment system
- Harness has 5 points of adjustment for the right fit

**CLASS
2**

CLASS 2 - LEADING EDGE
Self Retracting Lifeline for use
Above or Below Back D-Ring



WERNERCO.COM



**MAX
PATROL™**
Leading Edge



MEWP KITS

LITEFIT STANDARD HARNESS & MAX PATROL 10FT LE SRL

KIT INCLUDES

Class 2
Anchor above or below dorsal D-ring

LITEFIT™ SAFETY HARNESS

STANDARD HARNESS

Provides the right harness, the right fit, and the right value.

Adjustable Back D-Ring
Easy connection and fast adjustment

Durable Hardware

Reusable Lanyard Keepers
Keeps the lanyard secure and out of the way when not in use

Load Indicator
Clearly shows if the harness has been involved in a fall

Durable Label Protection

Web Keepers
Keeps excess webbing organized and out of the way



Relief handles



MODEL H31200*

MAX PATROL™ Leading Edge

10 FT LE SRL

Self-retracting lifeline connects to the anchor point, not the harness, removing the weight off the user's back.

Thermoplastic housing with swivel top & steel carabiner

3/16 in galvanized steel cable

Energy absorber reduces forces on the worker and edges



Yellow housing provides visual difference and clear identification as a Class 2 SRL. Anchor locations: Overhead, Foot Level, Leading Edge.

Durable recessed labels are protected to aid inspection

Lightweight & rugged design approved for use over steel beam, precast concrete and b-deck

MODEL R410010LE

SRL SPECIFICATIONS

MODEL NO.	LENGTH	HOUSING	HOUSING CONNECTOR	LIFELINE CONSTITUENT	LIFELINE CONNECTOR	CLASS	WEIGHT
R410010LE	10 ft	Thermoplastic	Steel Carabiner	Galvanized Cable	Steel Swivel Snap Hook	2	4.4 lbs

CONVENIENT TOOL BAG

Store, organize and carry your PPE



HARNESS SPECIFICATIONS

KIT NO.	HARNESS MODEL NO.	D-RINGS	CHEST CONNECTION	LEG CONNECTION	APPROX. WEIGHT	COMPLIANCE STANDARDS
K134010S	H312001	Back	Pass Through	Tongue Buckle	3.3 lbs	ANSI Z359.11 OSHA 29 CFR 1910 & 1926
K134010ML	H312002				3.3 lbs	
K134010XL	H312004				3.4 lbs	
K134010XXL	H312005				3.4 lbs	



WERNER CO. CORPORATE HEADQUARTERS: 555 PIERCE RD., SUITE 300, ITASCA, IL 60143
TEL: (888) 523-3371 FAX: (888) 456-8459 WERNERCO.COM



MEWP KITS

LITEFIT CONSTRUCTION HARNESS & MAX PATROL 10FT LE SRL

KIT INCLUDES

Class 2
Anchor above or below dorsal D-ring

LITEFIT™ PLUS SAFETY HARNESS

CONSTRUCTION HARNESS

Provides the right harness, the right fit, and the right value.

Adjustable Back D-Ring

Easy connection and fast adjustment

Durable Hardware

Reusable Lanyard Keepers

Keeps the lanyard secure and out of the way when not in use

Durable Label Protection



CHAIR IN THE AIR™

Relief handles



Comfort Padding

Cushioning on the back and shoulders helps distribute pressure, improving users' comfort.

Load Indicator

Clearly shows if the harness has been involved in a fall

Web Keepers

Keeps excess webbing organized and out of the way

MODEL H33210*XQP

MAX PATROL™ Leading Edge

10 FT LE SRL

Self-retracting lifeline connects to the anchor point, not the harness, removing the weight off the user's back.

Thermoplastic housing with swivel top & steel carabiner

3/16 in galvanized steel cable

Energy absorber reduces forces on the worker and edges



Yellow housing provides visual difference and clear identification as a Class 2 SRL. Anchor locations: Overhead, Foot Level, Leading Edge.

Durable recessed labels are protected to aid inspection

Lightweight & rugged design approved for use over steel beam, precast concrete and b-deck

MODEL R410010LE

SRL SPECIFICATIONS

MODEL NO.	LENGTH	HOUSING	HOUSING CONNECTOR	LIFELINE CONSTITUENT	LIFELINE CONNECTOR	CLASS	WEIGHT
R410010LE	10 ft	Thermoplastic	Steel Carabiner	Galvanized Cable	Steel Swivel Snap Hook	2	4.4 lbs

HARNESS SPECIFICATIONS

KIT NO.	HARNESS MODEL NO.	D-RINGS	CHEST CONNECTION	LEG CONNECTION	APPROX. WEIGHT	COMPLIANCE STANDARDS
K135010S	H332101XQP	Back & Hips	Pass Through	Tongue Buckle	4.5 lbs	ANSI Z359.11 OSHA 29 CFR 1910 & 1926
K135010ML	H332102XQP				4.5 lbs	
K135010XL	H332104XQP				4.6 lbs	
K135010XXL	H332105XQP				4.8 lbs	

CONVENIENT TOOL BAG

Store, organize and carry your PPE



WERNER CO. CORPORATE HEADQUARTERS: 555 PIERCE RD., SUITE 300, ITASCA, IL 60143
TEL: (888) 523-3371 FAX: (888) 456-8459 WERNERCO.COM



MEWP KITS

BLUE ARMOR STANDARD HARNESS & MAX PATROL 10FT LE SRL

KIT INCLUDES

Class 2
Anchor above or below dorsal D-ring

Blue Armor™

INSPECTABLE HARNESS

STANDARD HARNESS

Designed and manufactured for the most demanding applications and the most serious professional workers.

Adjustable Back D-Ring

Easy connection and fast adjustment

Quick Connect Chest Buckle

Reusable Lanyard Keepers

Keeps the lanyard secure and out of the way when not in use

Durable Label Protection



CHAIR IN THE AIR™

Relief handles



Comfort Padding

Cushioning on the back and shoulders helps distribute pressure, improving users' comfort.

Load Indicator

Clearly shows if the harness has been involved in a fall

Web Keepers

Keeps excess webbing organized and out of the way

WebAlert™

inspectable webbing



MODEL H11200*

MAX PATROL™ Leading Edge

10 FT LE SRL

Self-retracting lifeline connects to the anchor point, not the harness, removing the weight off the user's back.

Thermoplastic housing with swivel top & steel carabiner

3/16 in galvanized steel cable

Energy absorber reduces forces on the worker and edges



Yellow housing provides visual difference and clear identification as a Class 2 SRL. Anchor locations: Overhead, Foot Level, Leading Edge.

Durable recessed labels are protected to aid inspection

Lightweight & rugged design approved for use over steel beam, precast concrete and b-deck

MODEL R410010LE

SRL SPECIFICATIONS

MODEL NO.	LENGTH	HOUSING	HOUSING CONNECTOR	LIFELINE CONSTITUENT	LIFELINE CONNECTOR	CLASS	WEIGHT
R410010LE	10 ft	Thermoplastic	Steel Carabiner	Galvanized Cable	Steel Swivel Snap Hook	2	4.4 lbs

HARNESS SPECIFICATIONS

KIT NO.	HARNESS MODEL NO.	D-RINGS	CHEST CONNECTION	LEG CONNECTION	APPROX. WEIGHT	COMPLIANCE STANDARDS
K136010S	H112001	Back	Quick Connect	Tongue Buckle	3.6 lbs	ANSI Z359.11 OSHA 29 CFR 1910 & 1926
K136010ML	H112002				3.6 lbs	
K136010XL	H112004				3.7 lbs	
K136010XXL	H112005				3.7 lbs	

CONVENIENT TOOL BAG

Store, organize and carry your PPE



WERNER CO. CORPORATE HEADQUARTERS: 555 PIERCE RD., SUITE 300, ITASCA, IL 60143
TEL: (888) 523-3371 FAX: (888) 456-8459 WERNERCO.COM